ELSEVIER

Journal of Materials Processing Technology 114 (2001) 257

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 114

Abd El-Azim, A.N., 194
Aksoy, M., 207

Božič, S., 57

Carneiro, O.S., 75
Chan, J.S.F., 118
Chan, L.H., 233, 252
Chanda, T., 145
Chen, Z., 154
Chung, C.-M., 51
Cilense, M., 71

Date, P.P., 122
Dave, A.K., 227
Duszczyk, J., 145

El-Baradie, Z.M., 194

Feijun, X., 103
Fong, Z.-H., 22
Fu, P., 185

Gárlipp, W., 71
Gokularathnam, C.V., 246
Grum, J., 57, 212
Gunnarsson, L., 168

Hsieh, H.K., 18
Huang, Z., 185
Hwang, S.M., 129
Hwang, S.-M., 201

Ikeda, K., 154

Jinglin, W., 99

Kang, B.-S., 201
Kang, S.-J., 201
Kim, C.-J., 51
Kim, D.-H., 201
Kim, H.J., 129
Kim, J.-D., 51
Krishnamurthy, R., 246
Kuzucu, V., 207

Lee, Y., 129
Lei, L.-P., 201
Li, G., 36
Li, L., 139, 161
Li, S.-B., 109, 114
Li, W.C., 18
Liang, J.Z., 118
Lin, C.-Y., 22
Lof, J., 174
Luo, C., 87
Luo, S., 189

Mridha, S., 233, 252
Murakami, T., 154

Nan, J., 36
Nóbrega, J.M., 75
Novaes Gomes, S.I., 71

Oliveira, P.J., 75

Padmanabhan, K.A., 122
Pinho, F.T., 75

Ramesh, K., 240
Raval, H.K., 227

Santhanakrishnan, G , 246
Schedin, E., 168
Schmidt, M.J.J., 139
Seah, C.H., 233, 252
Sim, K.C., 240
So, H., 18
Spencer, J.T., 139
Sreedhar, C., 246
Ståhlberg, U., 87
Stewart, R., 161

Takeda, T., 154
Thanki, S.J., 227
Thomas, D., 161
Tsai, K.-M., 1
Tsay, C.-B., 22
Turhan, H., 207
Tzou, G.Y., 41

Waly, M., 194
Wan, M., 109, 114
Wang, P.-J., 1
Wong, E.T.T., 118

Xinhua, W., 99
Xu, K., 36

Yang, H., 103
Yang, Y.-Y., 109, 114
Yeo, S.H., 240
Yıldırım, M.M., 207
Yuli, L., 103

Zhiyuan, S., 99
Zhong, Z.W., 240
Zhou, J., 145
Zu, L., 189
Zupančič, M., 57

Elsevier Science B.V.
PII: S0924-0136(01)00820-2

ELSEVIER

Journal of Materials Processing Technology 114 (2001) 258–261

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 114

Acoustic emission
Effect of processing parameters on the laser glazing of plasma-sprayed alumina–titania ceramic, 246
Affect
An experiment study on the Castex process for AS wire, 99
Al alloy
A comparative study on iso-speed extrusion and isothermal extrusion of 6061 Al alloy using 3D FEM simulation, 145
Al–Si alloys
Assessment of the powder extrusion of silicon–aluminium alloy, 18
Aluminium alloys
Comparison of fracture in sheets of low pressure gas (LPG) steel and aluminium alloys, 122
Aluminium extrusion
Elasto-viscoplastic FEM simulations of the aluminium flow in the bearing area for extrusion of thin-walled sections, 174
Aluminum
A note on the effect of glass reinforcement on the properties of as-cast and heat treated Zn–12Al composite alloy, 194
Analytic model
Analytic model for the prediction of mean effective strain in rod rolling process, 129
AS wire
An experiment study on the Castex process for AS wire, 99
Austenite decomposition
Austenite decomposition of C–Mn steel containing boron by continuous cooling, 71

Bending
Prediction of the punch reversal position under V-plate bending using real material (power-law) behavior, 227
Binder
Extrusion behavior of metal–ceramic composite pipes in multi-billet extrusion process, 154
Bond
An experiment study on the Castex process for AS wire, 99
Bulging
Solution to the bulging problem in the open-die cold extrusion of a spline shaft and relevant photoplastic theoretical study, 185
Bulk forming
Elasto-viscoplastic FEM simulations of the aluminium flow in the bearing area for extrusion of thin-walled sections, 174

Capillary
Effects of operation conditions and die angles on the pressure losses in capillary flow of polystyrene melt, 118
Carbon steel
Comparison of fracture in sheets of low pressure gas (LPG) steel and aluminium alloys, 122
Castex
An experiment study on the Castex process for AS wire, 99
Cleaning
Removal of chlorinated rubber coatings from concrete surfaces using an RF excited CO_2 laser, 139
C–Mn steel with boron addition
Austenite decomposition of C–Mn steel containing boron by continuous cooling, 71
Cold extrusion
Solution to the bulging problem in the open-die cold extrusion of a spline shaft and relevant photoplastic theoretical study, 185
Colour
Multipass laser ablation of three coloured ink from a paper substrate, 161
Composite pipe
Extrusion behavior of metal–ceramic composite pipes in multi-billet extrusion process, 154
Conical cups
Determination of fracture criteria during the deep drawing of conical cups, 109
Determination of the limiting drawing coefficient in the deep drawing of conical cups, 114
Conical rollers
A coordination model of the in-plane bending of strip metal under unequal compression, 103
Coolant shoe
Coolant shoe development for high efficiency grinding, 240
Cooling intensity
Influence of quenching process parameters on residual stresses in steel, 57
Coordination coefficient
A coordination model of the in-plane bending of strip metal under unequal compression, 103
Coordination model
A coordination model of the in-plane bending of strip metal under unequal compression, 103
Coulomb friction
Theoretical study on the cold sandwich sheet rolling considering Coulomb friction, 41
Cross-extrusion
Analysis and design of hydroforming processes by the rigid–plastic finite element method, 201

3D FEM
A comparative study on iso-speed extrusion and isothermal extrusion of 6061 Al alloy using 3D FEM simulation, 145
DC plating
DC/pulse plating of copper for trench/via filling, 233
Deep drawing
Determination of fracture criteria during the deep drawing of conical cups, 109
Determination of the limiting drawing coefficient in the deep drawing of conical cups, 114
Deformation
Deformation of inclusions during hot rolling of steels, 87
Delamination
Adhesive strength of electroplated copper films, 252

Elsevier Science B.V.
PII: S0924-0136(01)00821-4

Dent resistance
Improving the properties of exterior body panels in automobiles using variable blank holder force, 168
Ductile intergranular fracture
Comparison of fracture in sheets of low pressure gas (LPG) steel and aluminium alloys, 122

Electrical discharge machining
Semi-empirical model on work removal and tool wear in electrical discharge machining, 1
Extrusion
Effects of operation conditions and die angles on the pressure losses in capillary flow of polystyrene melt, 118
A comparative study on iso-speed extrusion and isothermal extrusion of 6061 Al alloy using 3D FEM simulation, 145
Extrusion die design
Computer aided rheological design of extrusion dies for profiles, 75

Fatigue
The effect of manganese on the microstructure and mechanical properties of leaded-tin bronze, 207
FE simulation
Analytic model for the prediction of mean effective strain in rod rolling process, 129
Finite element method
Deformation of inclusions during hot rolling of steels, 87
Analysis and design of hydroforming processes by the rigid–plastic finite element method, 201
Finite-volume
Computer aided rheological design of extrusion dies for profiles, 75
Flow balancing
Computer aided rheological design of extrusion dies for profiles, 75
Forming limit
Determination of the limiting drawing coefficient in the deep drawing of conical cups, 114
Fracture
Comparison of fracture in sheets of low pressure gas (LPG) steel and aluminium alloys, 122

Glass
A note on the effect of glass reinforcement on the properties of as-cast and heat treated Zn–12Al composite alloy, 194
Grain size
Assessment of the powder extrusion of silicon–aluminium alloy, 18
Grinding
A review of the influence of grinding conditions on resulting residual stresses after induction surface hardening and grinding, 212
Coolant shoe development for high efficiency grinding, 240
Grinding conditions
A review of the influence of grinding conditions on resulting residual stresses after induction surface hardening and grinding, 212
Grinding wheel
A review of the influence of grinding conditions on resulting residual stresses after induction surface hardening and grinding, 212
Growth pattern
DC/pulse plating of copper for trench/via filling, 233

Heat treated
A note on the effect of glass reinforcement on the properties of as-cast and heat treated Zn–12Al composite alloy, 194
Hot rolling
Deformation of inclusions during hot rolling of steels, 87
Hydroforming process
Analysis and design of hydroforming processes by the rigid–plastic finite element method, 201
Hypoid gear
Computer-aided manufacturing of spiral bevel and hypoid gears by applying optimization techniques, 22

Inclusion
Deformation of inclusions during hot rolling of steels, 87
Indenter
Adhesive strength of electroplated copper films, 252
Induction surface hardening
A review of the influence of grinding conditions on resulting residual stresses after induction surface hardening and grinding, 212
Ink
Multipass laser ablation of three coloured ink from a paper substrate, 161
In-plane bending
A coordination model of the in-plane bending of strip metal under unequal compression, 103
Invar alloy
Yielding behavior of low expansion invar alloy at elevated temperature, 36

Jominy test
Austenite decomposition of C–Mn steel containing boron by continuous cooling, 71

Laser
Removal of chlorinated rubber coatings from concrete surfaces using an RF excited CO_2 laser, 139
Laser ablation
Multipass laser ablation of three coloured ink from a paper substrate, 161
Laser glazing
Effect of processing parameters on the laser glazing of plasma-sprayed alumina–titania ceramic, 246
Leaded-tin bronze
The effect of manganese on the microstructure and mechanical properties of leaded-tin bronze, 207
Limit load
Determination of fracture criteria during the deep drawing of conical cups, 109
Limit stress
Determination of fracture criteria during the deep drawing of conical cups, 109
Limiting drawing coefficient
Determination of the limiting drawing coefficient in the deep drawing of conical cups, 114

Machine–tool settings
Computer-aided manufacturing of spiral bevel and hypoid gears by applying optimization techniques, 22
Mean effective strain
Analytic model for the prediction of mean effective strain in rod rolling process, 129
Mechanical properties
Study on the powder mixing and semi-solid extrusion forming process of SiCp/2024Al composites, 189
Melt
Effects of operation conditions and die angles on the pressure losses in capillary flow of polystyrene melt, 118
Mesomechanical approach
Deformation of inclusions during hot rolling of steels, 87
Microhardness
Influence of quenching process parameters on residual stresses in steel, 57

Microstructure
Repair welding of etched tubular components of nuclear power plant by Nd:YAG laser, 51
Comparison of fracture in sheets of low pressure gas (LPG) steel and aluminium alloys, 122
Study on the powder mixing and semi-solid extrusion forming process of SiCp/2024Al composites, 189
The effect of manganese on the microstructure and mechanical properties of leaded-tin bronze, 207
Mixed mode of fracture
Comparison of fracture in sheets of low pressure gas (LPG) steel and aluminium alloys, 122
Multi-billet extrusion
Extrusion behavior of metal–ceramic composite pipes in multi-billet extrusion process, 154
Multipass
Multipass laser ablation of three coloured ink from a paper substrate, 161
Multiple layers
Multipass laser ablation of three coloured ink from a paper substrate, 161

Nd:YAG laser
Repair welding of etched tubular components of nuclear power plant by Nd:YAG laser, 51
Multipass laser ablation of three coloured ink from a paper substrate, 161
Numerical modelling
Elasto-viscoplastic FEM simulations of the aluminium flow in the bearing area for extrusion of thin-walled sections, 174

Optimization
Computer-aided manufacturing of spiral bevel and hypoid gears by applying optimization techniques, 22

Paint
Removal of chlorinated rubber coatings from concrete surfaces using an RF excited CO_2 laser, 139
Paper
Multipass laser ablation of three coloured ink from a paper substrate, 161
Paramter
An experiment study on the Castex process for AS wire, 99
Photoplasticity
Solution to the bulging problem in the open-die cold extrusion of a spline shaft and relevant photoplastic theoretical study, 185
Plasma-sprayed ceramic composite
Effect of processing parameters on the laser glazing of plasma-sprayed alumina–titania ceramic, 246
Polystyrene
Effects of operation conditions and die angles on the pressure losses in capillary flow of polystyrene melt, 118
Powder
Extrusion behavior of metal–ceramic composite pipes in multi-billet extrusion process, 154
Powder extrusion
Assessment of the powder extrusion of silicon–aluminium alloy, 18
Powder mixing
Study on the powder mixing and semi-solid extrusion forming process of SiCp/2024Al composites, 189
Pre-bending
Analysis and design of hydroforming processes by the rigid–plastic finite element method, 201
Pressure losses
Effects of operation conditions and die angles on the pressure losses in capillary flow of polystyrene melt, 118
Process parameters
Deformation of inclusions during hot rolling of steels, 87
Profiles
Computer aided rheological design of extrusion dies for profiles, 75
Pulse plating
DC/pulse plating of copper for trench/via filling, 233
Punch reversal position
Prediction of the punch reversal position under V-plate bending using real material (power-law) behavior, 227

Quenching
Influence of quenching process parameters on residual stresses in steel, 57
Quenching agents
Influence of quenching process parameters on residual stresses in steel, 57

Radial cracking
Adhesive strength of electroplated copper films, 252
Real material behavior
Prediction of the punch reversal position under V-plate bending using real material (power-law) behavior, 227
Reinforcement
A note on the effect of glass reinforcement on the properties of as-cast and heat treated Zn–12Al composite alloy, 194
Removal
Removal of chlorinated rubber coatings from concrete surfaces using an RF excited CO_2 laser, 139
Residual stress
Influence of quenching process parameters on residual stresses in steel, 57
A review of the influence of grinding conditions on resulting residual stresses after induction surface hardening and grinding, 212
RF-CO_2
Removal of chlorinated rubber coatings from concrete surfaces using an RF excited CO_2 laser, 139
Rod rolling
Analytic model for the prediction of mean effective strain in rod rolling process, 129

Sandwich sheet rolling
Theoretical study on the cold sandwich sheet rolling considering Coulomb friction, 41
Scratch resistance
Adhesive strength of electroplated copper films, 252
Semi-empirical model
Semi-empirical model on work removal and tool wear in electrical discharge machining, 1
Semi-solid extrusion
Study on the powder mixing and semi-solid extrusion forming process of SiCp/2024Al composites, 189
Shadow mask
Yielding behavior of low expansion invar alloy at elevated temperature, 36
Sheet-metal forming
Improving the properties of exterior body panels in automobiles using variable blank holder force, 168
SiCp/2024Al composites
Study on the powder mixing and semi-solid extrusion forming process of SiCp/2024Al composites, 189
Simulation
Prediction of the punch reversal position under V-plate bending using real material (power-law) behavior, 227
Slab method
Theoretical study on the cold sandwich sheet rolling considering Coulomb friction, 41

Spiral bevel
Computer-aided manufacturing of spiral bevel and hypoid gears by applying optimization techniques, 22
Spline shaft
Solution to the bulging problem in the open-die cold extrusion of a spline shaft and relevant photoplastic theoretical study, 185
Springback
Improving the properties of exterior body panels in automobiles using variable blank holder force, 168
Stainless steel
Extrusion behavior of metal–ceramic composite pipes in multi-billet extrusion process, 154
Steel
Deformation of inclusions during hot rolling of steels, 87
Strength
Assessment of the powder extrusion of silicon–aluminium alloy, 18
Stress corrosion cracking
Repair welding of etched tubular components of nuclear power plant by Nd:YAG laser, 51
Stripping
Removal of chlorinated rubber coatings from concrete surfaces using an RF excited CO_2 laser, 139
Subframe
Analysis and design of hydroforming processes by the rigid–plastic finite element method, 201
Surface deviation
Computer-aided manufacturing of spiral bevel and hypoid gears by applying optimization techniques, 22
Surface processing
Removal of chlorinated rubber coatings from concrete surfaces using an RF excited CO_2 laser, 139

Tee extrusion
Analysis and design of hydroforming processes by the rigid–plastic finite element method, 201
Tensile instability
Determination of fracture criteria during the deep drawing of conical cups, 109
Tensile shear strength
Repair welding of etched tubular components of nuclear power plant by Nd:YAG laser, 51
Transgranular fracture
Comparison of fracture in sheets of low pressure gas (LPG) steel and aluminium alloys, 122
Trench/via filling
DC/pulse plating of copper for trench/via filling, 233
TTT and CCT diagrams
Austenite decomposition of C–Mn steel containing boron by continuous cooling, 71
Tubular component
Repair welding of etched tubular components of nuclear power plant by Nd:YAG laser, 51

Unequal compressing
A coordination model of the in-plane bending of strip metal under unequal compression, 103

Variable blank holder force
Improving the properties of exterior body panels in automobiles using variable blank holder force, 168

Wear
The effect of manganese on the microstructure and mechanical properties of leaded-tin bronze, 207
Welding
Repair welding of etched tubular components of nuclear power plant by Nd:YAG laser, 51

Yield strength
Yielding behavior of low expansion invar alloy at elevated temperature, 36

Zirconia
Extrusion behavior of metal–ceramic composite pipes in multi-billet extrusion process, 154